

<Journal Paper>

1. C. Yao, Z. Jia, Q. Li, G. Qin, M. Hu, Y. Ohishi, and W. Qin, "Amplification of wavelength-shifting soliton in active photonic crystal fibers", *Applied Physics Letters*, Vol.112, No. 16, pp. 161105-1-5, April 2018. Doi: 10.1063/1.5009368.
2. T. Cheng, S. Li, X. Yan, T. H. Tuan, M. Matsumoto, S. Cho, T. Suzuki, and Y. Ohishi, "Mid-infrared cascaded stimulated Raman Scattering up to eight orders in As-S optical fiber", *Optics Express*, Vol. 26, No. 9, pp. 12007-12015, April 2018. Doi: 10.1364/OE.26.012007.
3. T. Cheng, S. Li, T. Suzuki, and Y. Ohishi, "Cascaded Cross-Phase Modulation Instability in the Normal Dispersion Regime of a Birefringent Tellurite Microstructured Optical Fiber", *IEEE Photonics Journal*, Vol. 10, No. 2, 7101508, April 2018. Doi:10.1109/JPHOT.2018.2804347.
4. T. S. Saini, U. K. Tiwari, and R. K. Sinha, "Design and Analysis of Dispersion Engineered Rib Waveguides for On-Chip Mid-Infrared Supercontinuum", *Journal of Lightwave Technology*, Vol. 36, No. 10, pp. 1993-1999, May 2018. Doi: 10.1109/JLT.2018.2800282.
5. Q. Li, Y. Huang, Z. Jia, C. Yao, G. Qin, Y. Ohishi, and W. Qin, "Design of fluorotellurite microstructured fibers with near zero flattened dispersion profiles for optical frequency comb generation", *IEEE/OSA Journal of Lightwave Technology*, Vol. 36, No. 11, pp. 1-5, June 2018. Doi: 10.1109/JLT.2018.2810086.
6. T. H. Tuan, S. Kuroyanagi, K. Nagasaka, T. Suzuki, and Y. Ohishi, "Near-infrared optical image transport through an all-solid tellurite optical glass rod with transversely-disordered refractive index profile", *Optics Express*, Vol. 26, No. 13, pp. 16054-16062, June 2018. Doi: 10.1364/OE.26.016054.
7. X. Luo, T. H. Tuan, T. S. Saini, H. P. T. Nguyen, T. Suzuki, and Y. Ohishi, "Spacing-adjustable multi-wavelength erbium-doped fiber laser using a fiber Michelson interferometer", *Applied Physics Express*, Vol. 11, pp. 082501-1-4, July 2018. Doi: 10.7567/APEX.11.082501.
8. H. P. T. Nguyen, K. Nagasaka, T. H. Tuan, T. S. Saini, X. Luo, T. Suzuki, and Y. Ohishi, "Highly coherent supercontinuum in the mid-infrared region with cascaded tellurite and chalcogenide fibers", *Applied Optics*, Vol. 57, No. 21, pp. 6153-6163, July 2018. Doi: 10.1364/AO.57.006153.
9. T. S. Saini, T. H. Tuan, L. Xing, N. P. T. Hoa, T. Suzuki, and Y. Ohishi, "Coherent mid-infrared supercontinuum spectrum using a step-index tellurite fiber with all-normal dispersion", *Applied Physics Express*, Vol. 11, pp. 10251-1-4, August 2018. Doi: 10.7567/APEX.11.102501.
10. P. Froidevaux, A. Lemiere, B. Kibler, F. Desevedavy, P. Mathey, G. Gadnet, J-C. Jules, K. Nagasaka, T. Suzuki, Y. Ohishi, and F. Smektala, "Dispersion-Engineered Step-Index Tellurite Fibers for Mid-Infrared Coherent Supercontinuum Generation from 1.5 to 4.5 μ m with

Sub-Nanojoule Femtosecond Pump Pulses”, Applied Sciences, Vol. 8, No. 10, 1875, October 2018. Doi: 10.3390/app8101875.

11. C. Yao, Z. Jia, Z. Li, S. Jia, Z. Zhao, L. Zhang, Y. Feng, G. Qin, Y. Ohishi, and W. Qin, “High-power mid-infrared supercontinuum laser source using fluorotellurite fiber”, Optica, Vol. 5, No. 10, pp. 1264-1270, October 2018. Doi: 10.1364/OPTICA.5.001264.
12. T. S. Saini, N. P. T. Hoa, L. Xing, T. H. Tuan, T. Suzuki, and Y. Ohishi, “Chalcogenide W-type Co-axial Optical Fiber for Broadband Highly Coherent Mid-IR Supercontinuum Generation”, Journal of Applied Physics, Vol. 124, No. 21, pp. 213101-1-8, December 2018. Doi: 10.1063/1.5062591.
13. X. Zhnou, T. Cheng, S. Li, T. Suzuki, and Y. Ohishi, “Practical sensing approach based on surface plasmon resonance in a photonic crystal fiber”, OSA Continuum, Vol. 1, No. 4, pp. 1332-1340, December 2018. Doi: 10.1364/OSAC.1.001332.
14. P. Wang, L. Chen, X. Zhang, P. Gao, Y. Zhou, W. Zhang, J. Hu, M. Lio, T. Suzuki, Y. Ohishi, and W. Gao, “Investigation on four-wave mixing toward mid-infrared waveband in tellurite photonic crystal fiber”, Optical and Quantum Electronics, Vol. 50, No. 12, pp. 415-1-18, December 2018. Doi: 10.1007/s11082-018-1680-0
15. T. S. Saini, N. P. T. Hoa, T. H. Tuan, X. Luo, T. Suzuki, and Y. Ohishi, “Tapered tellurite step-index optical fiber for coherent near-to-mid-IR supercontinuum generation: experiment and modeling”, Applied Optics, Vol. 58, No. 2, pp. 415-421, January 2019. Doi: 10.1364/AO.58.000415.
16. X. Luo, T. H. Tuan, T. S. Saini, H. P. T. Nguyen, T. Suzuki, and Y. Ohishi, “Group velocity locked vector soliton and polarization rotation vector soliton generation in a highly birefringent fiber laser”, Japanese Journal of Applied Physics, Vol. 58, pp. 020910-1-4, January 2019. Doi: 10.7567/1347-4065/aafc1e.
17. Y. Yang, W. Bi, X. Li, M. Liao, W. Gao, Y. Ohishi, Y. Fang, and Y. Li, “Ultrabroadband supercontinuum generation through filamentation in a lead fluoride crystal”, Journal of the Optical Society of America B, Vol. 36, No. 2, pp. A1-A7, February 2019. Doi:10.1364/JOSAB.36.0000A1.
18. T. H. Tuan, S. Kuroyanagi, K. Nagasaka, T. Suzuki, and Y. Ohishi, "Characterization of an all-solid disordered tellurite glass optical fiber and its NIR optical image transport", Japanese Journal of Applied Physics, Vol. 58, pp. 032005-1-7, February 2019. Doi: 10.7567/1347-4065/aaf926.
19. L. Chen, W. Zhang, P. Gao, P. Wang, X. Zhang, Y. Zhou, J. Hu, M. Liao, T. Suzuki, Y. Ohishi, and W. Gao, “Characteristics of forward stimulated Brillouin scattering effect in silica fibers with different microstructures”, Optik, Vol. 179, pp. 82-88, February 2019. Doi: 10.1016/j.ijleo.2018.10.185.

20. H. P. T. Nguyen, T. H. Tong, T. S. Saini, X. Luo, T. Suzuki, and Y. Ohishi, "Highly coherent supercontinuum generation in a tellurite all-solid hybrid microstructured fiber pumped at 2 μm ", Applied Physics Express, Vol. 12, pp. 042010-1-5, March 2019.
Doi: 10.7567/1882-0786/ab0aac.

<Proceedings>

1. T. Cheng, S. Tanaka, T. Suzuki, and Y. Ohishi, "Experimental Investigation of All-optical Dynamic Photonic Bandgap Control in an All-solid Tellurite Photonic Bandgap Fiber", CLEO2018, JTU2A.117, May 13-18, 2018, San Jose, USA.
2. K. Nagasaka, T. H. Tuan, N. P. T. Hoa, M. Matsumoto, S. Cho. T. Suzuki, and Y. Ohishi, "Near-infrared to Mid-infrared wavelength conversion by chalcogenide suspended-core fiber", CLEO2018, JTU2A. 126, May 13-18, 2018, San Jose, USA.
3. H. P. Nguyen, K. Nagasaka, H. T. Tong, T. Suzuki, and Y. Ohishi, "Highly Coherent Mid-infrared Supercontinuum Spanning From 1.8-10 μm Pumped By A 2- μm Laser", CLEO2018, JTU2A. 127, May 13-18, 2018, San Jose, USA.
4. T. S. Saini, N. P. T. Hoa, K. Nagasaka, X. Luo, T. H. Tuan, T. Suzuki, and Y. Ohishi, "Coherent Mid-infrared Supercontinuum Generation using Rib Wavelength Pumped with Femtosecond Laser", CLEO2018, JTU2A.143, May 13-18, 2018, San Jose, USA.
5. H. T. Tong, S. Kuroyanagi, K. Nagasaka, T. Suzuki, and Y. Ohishi, "Localization of light and transport of infrared optical image in a tellurite optical fiber with transversely-disordered refractive index profile", CLEO2018, JTh2A. 131, May 13-18, 2018, San Jose, USA.
6. (Invited) Y. Ohishi, "Highly Nonlinear Soft Glass Optical Fibers for MIR Applications", 2018 Glass and Optical Materials Division (GOMD) Meeting, GOMD-S1-018-2018, May 20-24, 2018, San Antonio, Texas, USA.
7. (Invited) Y. Ohishi and T. Suzuki, "New prospect of highly nonlinear optical fibers", 21st International Symposium on Non-Oxide and New Optical Glasses, pp. 82, June 17-21, 2018, Quebec, Canada.
8. T. H. Tuan, D. Demichi, T. Suzuki, and Y. Ohishi, "Tailoring optical bandgap properties of a Nd-doped tellurite all solid bandgap optical fiber to suppress the 1.06- μm emission of Nd³⁺ ions", 21st International Symposium on Non-Oxide and New Optical Glasses, pp. 114, June 17-21, 2018, Quebec, Canada.
9. Y. Ohishi, K. Nagasaka, T. H. Tuan, and T. Suzuki, "Highly coherent mid-infrared supercontinuum generation by chalcogenide optical fiber", The 15th International Conference on the Physics of Non-Crystalline Solids 2018 (PNCS-ESG2018), pp. 186028, July 9-13, 2018, Saint Malo, France.
10. Y. Ohishi, T. Cheng, T. H. Tuan, S. Tanaka, and T. Suzuki, "All-solid tellurite photonic bandgap fiber fabrication for dynamic photonic bandgap control", The 15th International

Conference on the Physics of Non-Crystalline Solids 2018 (PNCS-ESG2018), pp.186029, July 9-13, 2018, Saint Malo, France.

11. P. Froidevaux, A. Lemiere, B. Kibler, F. Desevedavy, P. Mathey, G. Gadret, J-C, Jules, K. Nagasaka, Y. Ohishi, and F. Smektala, “Dispersion-engineered step-index tellurite fibers for midinfrared supercontinuum generation from 1.5 to 4.5 μm ”, Advanced Photonics Congress 2018, SoTh3H.4, July 2-5, 2018, Zurich, Switzerland.
12. T. H. Tuan, N. Nishiharaguchi, T. Suzuki, and Y. Ohishi, “Fabrication of a Novel Tellurite Hollow Core Optical Fiber and Supercontinuum Light Propagation in Its Hollow Core”, 9th International Conference on Optical Communication Systems (OPTICS) 2018, OPTICS18-PP-7, July 26-28, 2018, Porto, Portugal.
13. X. Luo, T. H. Tuan, T. S. Saini, H. P. T. Nguyen, T. Suzuki, and Y. Ohishi, “Multi-wavelength Erbium-doped Fiber Laser with Tunable Wavelength Spacing”, 9th International Conference on Optical Communication Systems (OPTICS) 2018, OPTICS18-PP-6, July 26-28, 2018, Porto, Portugal.
14. (Invited) Y. Ohishi, “Coherent lightwave generation using chalcogenide optical fibers”, Advanced Architectures in Optics 2018, M11, September 2-5, 2018, Cambridge, UK.
15. X. Luo, T. H. Tuan, T. S. Saini, H. P. T. Nguyen, K. Nagasaka, T. Suzuki, and Y. Ohishi, “Frequency combs generation in a linear half-open erbium Brillouin fiber laser with a tellurite single mode fiber”, Advanced Architectures in Optics 2018, M11+, September 2-5, 2018, Cambridge, UK.
16. (Invited) Y. Ohishi, “Recent progress in novel optical fiber technology”, Workshop on Innovative Optical Technologies 2018, September 7, 2018, Yokohama, Japan. (ペーパー無し)
17. M. Yoshimi, S. Kumagai, Y. Ohishi, and M. Sasaki, “Optofluidic Device for Measuring Cell Response Against Mechanical Stimulation”, 2018 International Conference on Solid State Devices and Materials, K-6-05, September 9-13, 2018, Tokyo, Japan.
18. T. H. Tuan, N. Nishiharaguchi, T. Suzuki, and Y. Ohishi, “Propagation of a supercontinuum light source in a novel tellurite hollow core optical fiber”, 2018 Frontiers in Optics / Laser Science, JTU3A.72, September 14-17, 2018, Washington DC, USA.
19. N. P. T. Hoa, T. H. Tuan, T. S. Saini, X. Luo, T. Suzuki, and Y. Ohishi, “Coherent Mid-infrared Supercontinuum Generation Using All Solid Hybrid Micro-structured Tellurite Fibers”, 2018 Frontiers in Optics / Laser Science, JW3A.42, September 14-17, 2018, Washington DC, USA.
20. T. S. Saini, N. P. T. Hoa, T. H. Tuan, X. Luo, T. Suzuki, and Y. Ohishi, “Design and Modeling of a Chalcogenide Taper Fiber for High Average Power Supercontinuum Generation”, 2018 Frontiers in Optics / Laser Science, JW4A.39, September 14-17, 2018, Washington DC, USA.
21. X. Luo, T. H. Tuan, T. S. Saini, N. P. T. Hoa, T. Suzuki, and Y. Ohishi, “Brillouin Comb

Generation in a Highly Nonlinear Tellurite Single Mode Fiber”, 2018 Frontiers in Optics / Laser Science, JW4A.33, September 14-17, 2018, Washington DC, USA.

22. X. Luo, T. H. Tuan, T. S. Saini, N. P. Hoa, T. Suzuki, and Y. Ohishi, “Brillouin Comb Generation in a Half-open Fiber Laser with a Tellurite Single-Mode Fiber”, OSA Laser Congress 2018, ATTh2A.32, November 4-8, 2018, Boston, USA.
23. T. S. Saini, T. H. Tuan, X. Luo, N. P. Hoa, T. Suzuki, and Y. Ohishi, “Experimental Demonstration of the Coherent Mid-IR Supercontinuum Source Using All-normal Dispersion Engineered Tellurite Fiber”, OSA Laser Congress 2018, ATu2A.26, November 4-8, 2018, Boston, USA.
24. T. H. Tuan, N. P. Hoa, T. Suzuki, and Y. Ohishi, “Maintaining high performance of optical parametric amplification in a chalcogenide hybrid microstructured optical fiber”, OSA Laser Congress 2018, ATu2A.8, November 4-8, 2018, Boston, USA.
25. (Invited) T. H. Tuan, “Suppresing 1.06 μ m spontaneous emission of neodymium ions using a novel tellurite all-solid photonic bandgap fiber”, 10th International Conference and Exhibition on Lasers, Optics, and Photonics, November 26-28, 2018, Los Angeles, USA.
26. X. Luo, T. H. Tuan, T. S. Saini, H. P. T. Nguyen, T. Suzuki, and Y. Ohishi, “Group velocity locked vector soliton and polarization rotation vector soliton generation in a birefringence enhanced fiber laser”, Photonics West 2019, 108972G, February 2-7, 2019, San Francisco, USA.
27. H. P. T. Nguyen, T. H. Tong, T. S. Saini, X. Luo, T. Suzuki, and Y. Ohishi, “Ultra-flattened chromatic dispersion in all-solid hybrid micro-structured optical fibers for mid-infrared lightwave generation”, Photonics West 2019, 109021Q, February 2-7, 2019, San Francisco, USA.
28. T. S. Saini, N. P. T. Hoa, X. Luo, T. H. Tuan, T. Suzuki, and Y. Ohishi, “Design and numerical investigation of a tapered tellurite step-index fiber for mid-IR supercontinuum generation”, Photonics West 2019, 109021R, February 2-7, 2019, San Francisco, USA.
29. T. S. Saini, H. P. T. Nguyen, X. Luo, T. H. Tuan, T. Suzuki, and Y. Ohishi, “W-type co-axial chalcogenide optical fiber for coherent mid-IR supercontinuum generation”, Photonics West 2019, 109081A, February 2-7, 2019, San Francisco, USA.
30. T. Suzuki, A. Nakatani, T. H. Tuan, and Y. Ohishi, “Numerical investigation on local confinement of infrared light in chalcogenide transversely-disordered optical fibers”, Photonics West 2019, 109141J, February 2-7, 2019, San Francisco, USA.
31. T. H. Tuan, K. Suzuki, N. Nishiharaguchi, T. Suzuki, and Y. Ohishi, “Tailoring bandgap transmission spectra of new neodymium-doped tellurite all-solid photonic bandgap fibers with double cladding layers”, Photonics West 2019, 109141O, February 2-7, 2019, San Francisco, USA.

1. (Invited) 大石泰丈、「微細構造光ファイバによる光波創生と制御」、第 127 回ニューガラスセミナー、2019 年 1 月 18 日、ニューガラスフォーラム地下会議室、東京都新宿区。
2. 大石泰丈、田中駿太、Tong Hoang Tuan、Tonglei Cheng、鈴木健伸、「フォトニックバンドギャップの動的制御による超高速光変調」、The 29th Meeting on Glasses for Photonics、2019 年 1 月 28 日、京都大学 吉田南キャンパス、京都市左京区。
3. 鈴木健伸、畔柳駿介、Tong Hoang Tuan、大石泰丈、「赤外イメージ伝送用ランダム断面構造光ファイバ」、The 29th Meeting on Glasses for Photonics、2019 年 1 月 28 日、京都大学 吉田南キャンパス、京都市左京区。
4. 西原口寅彦、Tong Hoang Tuan、鈴木健伸、大石泰丈、”テルライト中空コア光ファイバの伝搬特性”、第 79 回応用物理学会秋季学術講演会、名古屋国際会議場、愛知県名古屋市、2018 年 9 月 18 日～21 日。
5. A. Lemiere, B. Kibler, F. Desevedavy, P. Mathey, G. Gadret, J-C, Jules, K. Nagasaka, T. Suzuki, Y. Ohishi, and F. Smektala, “Dispersion-engineered step-index tellurite fibers for mid-infrared supercontinuum generation from 1.5 to 4.5 μm ”, 2019 年 3 月 1 日、スマート光・物質研究センター第 1 回シンポジウム、豊田工業大学、愛知県名古屋市。