

<Journal Paper>

1. B. Li, X. Yan, X. Zhang, F. Wang, S. Li, T. Suzuki, Y.. Ohishi, and T. Cheng, “ No-core optical fiber sensor based on surface plasmon resonance for glucose solution concentration and temperature measurement”, Optics Express, Vol. 29, No. 9, pp. 12930-12940, April 2021. Doi: 10.1364/OE.423307
2. F. Zhang, X. Yan, X. Zhang, F. Wang, S. Li, T. Suzuki, Y. Ohishi, and T. Cheng, “Numerical analysis of magnetic field measurement based on Faraday rotation in a no-core tellurite fiber”, Optical Fiber Technology, Vol. 63, pp. 102536-1-7, May 2021.
Doi: 10.1016/j.yofte.2021.102536
3. X. Chen, X. Yan, X. Zhang, F. Wang, S. Li, T. Suzuki, and Y. Ohishi, “Theoretical Investigation of mid-infrared temperature sensing Based on Four-wave Mixing in a CS₂-Filled GeAsSeTe Microstructured Optical Fiber”, IEEE Sensors Journal, Vol. 21, No. 9, pp. 10711-10718, May 2021. Doi: 10.1109/JSEN.2021.3061654
4. X. Chen, X. Yan, X. Zhang, F. Wang, S. Li, T. Suzuki, Y. Ohishi, and T. Cheng, “Microstructured optical fiber temperature sensor based on the self-phase modulation effect”, Optics Express, Vol. 29, No. 10, pp. 15653-15663, May 2021. Doi: 10.1364/OE.425863
5. F. Zhang, B. Li, Y. Sun, W. Liu, X. Yan, X. Zhang, F. Wang, S. Li, T. Suzuki, Y. Ohishi, and T. Cheng, “A Magnetic Field Sensor Utilizing Tellurite Fiber-Induced Sanac Loop Based on Faraday Rotation Effect and Fresnel Reflection”, IEE Transactions on instrumentation and measurement, Vol. 70, #7004407, May 2021. Doi: 10.1109/TIM.2021.3082275
6. X. Zhou, X. Li, X. Yan, X. Zhang, F. Wang, T. Suzuki, Y. Ohishi, and T. Cheng, “A miniature optical fiber Fabry-Perot Interferometer temperature sensor based on tellurite glass”, IEEE TRANSACTIONS ON INSTRUMENTATION AND MEASUREMENT, Vol. 70, pp. 1-6, July 2021. Doi: 10.1109/TIM.2021.3101310
7. F. Wang, X. Zhou, X. Zhang, X. Yan, S. Li, T. Suzuki, Y. Ohishi, and T. Cheng, “Mid-infrared cascaded stimulated raman scattering and flat supercontinuum generation in an As-S optical fiber pump at 2μm“, Applied Optics, Vol. 60, No. 22, pp. 6351-6356, August 2021. Doi: 10.1364/AO.432394
8. X. Zhou, Z. Li, X. Yan, X. Zhang, F. Wang, T. Suzuki, Y. Ohishi, and T. Cheng, “An Ultra-high Sensitivity Optical Fiber Refractive Index Sensor Based on Plasmonic Mach-Zehnder Interferometer”, IEEE Photonics Journal, Vol. 13, No. 4, pp. 4800207-1-7, August 2021. Doi: 10.1109/JPHOT.2021.3106298
9. H. T. Tong, A. Koumura, A. Nakatani, T. Suzuki, and Y. Ohishi, “Maintaining chromatic dispersion and signal gain performances in a chalcogenide buffer step-index optical fiber”, Optics Express, Vol. 29, No. 23, pp. 37877-37891, November 2021. Doi:10.1364/OE.442334
10. H. He, Z. Jia, Y. Ohishi, W. Qin, and G. Qin, “Efficient ~4 μm emission from Pr³⁺/Yb³⁺ co-doped fluoroindate glass”, Optics Letters, Vol. 46, No. 22, pp.5607-5610, November 2021.

11. X. Chen, Y. Sun, Y. Gao, X. Yan, X. Zhang, F. Wang, T. Suzuki, Y. Ohishi, and T. Cheng, "Temperature sensing in a Silica Microstructured Optical Fiber based on Soliton Self-frequency Shift", IEEE Transactions on Instrumentation and Measurement, Vol. 70, #9514409, November 2021. Doi: 10.1109/TIM.2021.3126396
12. W. Liu, F. Zhang, X. Yan, F. Wang, X. Zhang, T. Suzuki, Y. Ohishi, and T. Cheng, "Carboxymethyl cellulose/graphene oxide composite film-coated humidity sensor based on thin-core fiber mach-zehnder interferometer", IEEE Sensors Journal, Vol. 21, No. 21, pp. 23767-23775, November 2021. Doi:10.1109/JSEN.2021.3115621
13. Q. Wang, B. Li, R. Shen, X. Yan, X. Zhang, F. Wang, T. Suzuki, Y. Ohishi, and T. Cheng, "Investigation of Fabry Perot Interferometer Temperature Sensor Based on Hollow Core Anti-resonance Optical Fiber", IEEE Photonics Journal, Vol. 13, No. 6, pp. 6800308-1-8, December 2021. Doi: 10.1109/JPHOT.2021.3123977
14. T. Cheng, X. Chen, X. Yan, X. Zhang, F. Wang, T. Suzuki and Y. Ohishi, " Microstructured optical fiber filled with glycerin for temperature measurement based on dispersive wave and soliton", Optics Express, Vol. 29, No. 26, pp. 42355-42368, December 2021. Doi: 10.1364/OE.441576
15. D. Lan, T. Cheng, Y. Qu, X. Zhang, X. Yan, T. Suzuki, Y. Ohishi, and F. Wang, "Tungsten Carbide Nanoparticles as Saturable Absorber for Q-switched Erbium-doped Fiber Laser", Photonics Technology Letters, Vol. 34, No. 2, pp. 113-116, January 2022. Doi: 10.1109/LPT.2022.3142143
16. Y. Jiao, Z. Jia, X. Guo, Z. Zhao, Y. Ohishi, W. Qin, and G. Qin, "Third-order cascaded Raman shift in all-solid fluorotellurite fiber pumped at 1550 nm", Optics Letters, Vol. 47, No. 3, pp. 690-693, February 2022. Doi:10.1364/OL.446730
17. X. Guo, F. Meng, Z. Jia, Y. Jiao, Y. Ohishi, W. Qin and G. Qin, "Dispersive wave generation at 4 μm in a dispersion-engineered fluorotellurite fiber pumped by a 1.98 μm femtosecond fiber laser", Optical Materials Express, Vol. 12, No. 2, pp. 634-642, February 2022. Doi:10.1364/OME.448453
18. T. Cheng, X. Chen, Y. Gao, F. Zhang, B. Li, X. Yan, X. Zhang, F. Wang, T. Suzuki, and Y. Ohishi, "Single-mode tellurite optical fiber for temperature measurement based on self-phase modulation effect", Optics Letters, Vol. 47, No. 4, pp.874-877, February 2022. Doi:10.1364/OL.449945
19. A. Nakatani, H. T. Tong, M. Matsumoto, G. Sakai, T. Suzuki, and Y. Ohishi, "Transverse Anderson localization of mid-infrared light in a chalcogenide transversely disordered optical fiber", Optics Express, Vol. 30, No. 4, pp. 5159-5166, February 2022. Doi:10.1364/OE.450864
20. T. Cheng, B. Li, F. Zhang, J. Chen, Q. Zhang, X. Yan, X. Zhang, T. Suzuki, Y. Ohishi and F.

Wang, "A surface plasmon resonance optical fiber sensor for simultaneous measurement of relative humidity and temperature", IEEE Sensors Journal, Vol. 22, No. 4, pp. 3246-3253, February 2022. Doi: 10.1109/JSEN.2022.3141239

21. T. Cheng, X. Chen, X. Yan, X. Zhang, F. Wang, T. Suzuki, and Y. Ohishi, "Mid-Infrared Stimulated Raman Scattering and Four-Wave Mixing in a Tellurite Microstructured Optical Fiber", IEEE Photonics Technology Letters, Vol. 34, No. 4, February 2022. Doi: 10.1109/LPT.2022.3147768
22. M. A. Hughes, R. McMaster, J. E. Proctor, D. W. Hewak, T. Suzuki, and Y. Ohishi, "High pressure photoluminescence of bismuth-doped yttria-alumina-silica glass", High Pressure Research, Vol. 42, pp. 1-11, February 2022. Doi:10.1080/08957959.2022.2044031

<Proceedings>

1. A. Nakatani, T. H. Tuan, M. Matsumoto, G. Sakai, T. Suzuki, and Y. Ohishi, "Observation of transverse Anderson localization of mid-infrared light in a chalcogenide transversely disordered optical fiber", CLEO 2021, JW1A.111, May 9-14, 2021. Virtual Conference
2. T. H. Tuan, H. P. T. Nguyen, A. Koumura, T. Suzuki and Y. Ohishi, "Ultra-flattened and near-zero chromatic dispersion control by chalcogenide all-solid hybrid microstructured optical fibers", CLEO 2021, JW1A.57, May 9-14, 2021. Virtual Conference
3. 山口和伽子, 柳瀬俊哉, 石原純, 中谷明日佳, 大石泰丈, 半田太郎, 杉岡洋介, 小池俊輔, "FLEET 光の減衰特性を利用した速度・密度同時計測実現可能性の検証", 第 53 回流体力学講演会/ 第 39 回航空宇宙数値シミュレーション技術シンポジウム, JSASS-2021-2131-F-3B06, 6月 30 日～7月 2 日, オンライン会議.
4. (受賞記念講演) 大石泰丈, 鈴木健伸, "高非線形光ファイバによる広帯域中赤外光の発生", レーザー学会学術講演会 第42回年次大会, F01-12a-V1-05, 2022 年1月 12 日～1月 14 日, 講演日:1月 12 日, オンライン開催
5. T. H. Tuan, A. Koumura, A. Nakatani, G. Sakai, M. Matsumoto, T. Suzuki, and Y. Ohishi, "Suppressing fluctuation of chromatic dispersion and signal gain performances in a chalcogenide buffer step-index optical fiber", SPIE OPTO (Photonics West 2022), January 22- 27, 2022.